

View Online at <https://aerobasegroup.com/nsn/5935-00-681-5687>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Electrical Insulation Feature:**

Insulated from panel

**Identification Code Color:**

White

**Body Style:**

Threaded bushing mounted

**Overall Length:**

Between 0.900 inches and 0.970 inches

**Mounting Bushing Length:**

Between 0.150 inches and 0.190 inches

**Body Length:**

0.380 inches

**Overall Diameter:**

0.370 inches

**Bushing Accommodation Hole Shape:**

Round

**Maximum Voltage Rating In Volts:**

5000.0 ac

**Accommodated Finger Type:**

Test prod single finger

**Finger Accommodation Diameter:**

0.077 inches and 0.080 inches single finger

**Finger Accommodation Length:**

0.500 inches single finger

**Bushing Thru-hole Accommodation Diameter:**

0.250 inches

**Current Rating In Amps:**

15.0

**Mounting Facility Type And Quantity:**

1 bushing

**Thready Qty Per Inch (tpi):**

20

**Thread Size:**

0.250 inches

**Terminal Type:**

Turret

**Material:**

Phosphor bronze spring

**Material:**

Copper alloy bushing

**Precious Material And Location:**

Contact surfaces gold

**Precious Material:**

Gold

**Surface Treatment:**

Nickel bushing

**Surface Treatment:**

Nickel bushing

**Thread Series Designator:**

Unef

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03400