## NSN 5935-00-683-2746

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-683-2746

Thread Class:
2a
Thread Direction:
Right-hand
Electrical Insulation Feature:
Insulated completely
Body Style:
Threaded bushing mounted
Overall Length:
1.328 inches
Mounting Bushing Length:
0.219 inches
Overall Diameter:
0.781 inches
Bushing Accommodation Hole Shape:
Round
Accommodated Finger Type:
Two conductor, round tip single finger
Finger Accommodation Diameter:
0.210 inches single finger
Finger Accommodation Length:
1.047 inches single finger
Bushing Thru-hole Accommodation Diameter:
0.375 inches
Jack Contact Arrangement Designator:
J1
Mounting Facility Type And Quantity:
1 bushing
Thready Qty Per Inch (tpi):
32
Thread Size:
0.375 inches
Terminal Type:
Tab, solder lug
Material:
Any acceptable terminal
Surface Treatment:
Tin terminal
Surface Treatment:
Any acceptable contact
Test Data Document:
81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;

excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5935-00-683-2746

Telephone Jack - Page 2 of 2



Thread Series Designator:
Unef
Specification Data:
81349-mil-j-641/6 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A03400