

View Online at https://aerobasegroup.com/nsn/5935-00-689-1200

## **Thread Class:** 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape **Overall Length:** 2.750 inches **Overall Height:** 0.656 inches **Overall Width:** 1.531 inches **Environmental Protection:** Moisture resistant and shock resistant and vibration resistant **Distance Between Mounting Facility Centers:** 2.375 inches **Threaded Device Type:** Coupling facility and mounting stud Mating End Quantity: 1 **Contact Position Arrangement Style:** 25-104 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 32 and 32 **Thread Size:** 0.138 inches and 0.138 inches and 0.164 inches **Insert Material:** Plastic diallyl phthalate single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end Shell Guide Type And Location Designator:

C slot



## **Thread Series Designator:**

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-m-14 spec.