NSN 5935-00-703-1980

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-703-1980 **Body Material:** Plastic **Body Style:** Top mount w/metal saddle and shield base **Fabrication Method:** Molded **Overall Length:** Between 1.089 inches and 1.099 inches **Overall Height:** Between 1.089 inches and 1.099 inches **Overall Width:** Between 0.859 inches and 0.910 inches **Mounting Hole Diameter:** Between 0.120 inches and 0.130 inches **Body Mounting Hole Accommodation Diameter:** Between 0.604 inches and 0.614 inches **Distance Between Mounting Facility Centers:** Between 0.870 inches and 0.880 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Electron tub **Contact Maximum Current Rating In Amps:** 1.0 **Contact Material:** Copper alloy **Contact Surface Treatment:** Silver **Accommodated Contact Quantity:** 7 **Component Shield Mounting Method: Bayonet Polarization Type:** Contact position **Projection Length Below Mounting Surface:** Between 0.468 inches and 0.500 inches **Mounting Method:** Saddle **Mounting Type For Which Designed:** Chassis

Features Provided:

Center shield

NSN 5935-00-703-1980 Plug-in Electronic Components Socket - Page 2 of 2



Contact Position Arrangement Style:
Miniature
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.007 silver grains, troy
Precious Material:
Silver
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fila:

A02300