## NSN 5935-00-711-2016

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-711-2016 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape w/flange **Overall Length:** 1.562 inches **Overall Height:** 0.812 inches **Overall Width:** 0.812 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.719 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.719 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 2 **Contact Position Arrangement Style:** Tnc 2nd mating end **Contact Removability:** Removable all mating ends single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell and bayonet pin Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 all mating ends single contact grouping Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.625 inches Copper alloy all mating ends single contact grouping

**Contact Material: Contact Surface Treatment:** Silver all mating ends single contact grouping **Insert Material:** Plastic polyamide all mating ends

## NSN 5935-00-711-2016

Connector Adapter - Page 2 of 2

**Fiig:** A039b0



Contact Surface Treatment Specification:
Qq-s-365 federal specification single treatment response all mating ends single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Shell Surface Treatment Specification:
Qq-s-365 federal specification single treatment response
Included Contact Quantity:
1 2nd mating end single contact grouping
Included Contact Type:
Coaxial socket all mating ends single contact grouping
Precious Material And Location:
Contact and body surfaces silver
Precious Material And Weight:
0.110 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No