Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-721-0705

# Body Style: Straight shape, external coupling

**Overall Length:** 

1.076 inches

# **Overall Height:**

Between 1.734 inches and 1.766 inches

# **Overall Width:**

Between 1.734 inches and 1.766 inches

## **Environmental Protection:**

Moisture resistant

## **Unthreaded Mounting Hole Diameter:**

Between 0.145 inches and 0.155 inches

# Center To Center Distance Between Mounting Facilities Parallel To Height:

1.375 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.375 inches

## Distance From Mounting Shoulder To Front Face:

Between 0.556 inches and 0.566 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

22-55 single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

# Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

# Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

142.0

#### Shell Type:

Solid

#### Connector Locking Method:

Bayonet pin

#### **Terminal Location:**

Back single mating end single contact grouping

# **Contact Material:**

Copper alloy single mating end single contact grouping



#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

#### **Insert Material:**

Rubber single mating end

## **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Aluminum alloy

#### Shell Surface Treatment:

Anodize

#### **Included Contact Quantity:**

55 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact sufaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.055 gold grains, troy and 0.055 silver grains, troy

## **Precious Material:**

Gold and silver

Shelf Life:

N/a

# Unit Of Measure:

--

## Demilitarization:

No

#### Fiig:

A039b0