## NSN 5935-00-721-2675

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-721-2675

**Body Style:** 

Straight shape, internal coupling

**Overall Length:** 

1.375 inches

**Overall Diameter:** 

0.750 inches

**Environmental Protection:** 

Salt water resistant

**Mating End Quantity:** 

1

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Frequency Rating:** 

10000.0 megahertz single mating end single contact grouping

Shell Type:

Solid

**Connector Cable Strain Relief Method:** 

Cable clamp

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Surface Treatment:** 

Silver single mating end single contact grouping

**Insert Material:** 

Plastic polytetrafluoroethylene single mating end

**Contact Surface Treatment Specification:** 

Qq-s-365 federal specification single treatment response single mating end single contact grouping

**Shell Surface Treatment:** 

Silver

**Shell Surface Treatment Specification:** 

Qq-s-365 federal specification single treatment response

**Insert Material Specification:** 

Mil-m-14077, class 1 military specification single material response single mating end

**Included Contact Quantity:** 

1 single mating end single contact grouping

**Included Contact Type:** 

Coaxial pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces and shell surface silver

**Precious Material And Weight:** 

0.105 silver grains, troy

## NSN 5935-00-721-2675

Electrical Plug Connector - Page 2 of 2



Silver
Test Data Document:
81349-mil-c-3989 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-3989 government specification
Shelf Life:
N/a

Demilitarization:

**Unit Of Measure:** 

**Precious Material:** 

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14077 spec.