## NSN 5935-00-725-1990

Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-725-1990 **Thread Class:** 2b **Thread Direction:** Right-hand **Overall Length:** Between 1.984 inches and 2.016 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 1.672 inches and 1.704 inches **Center To Center Distance Between Mounting Facilities Parallel To Width:** Between 0.463 inches and 0.473 inches **Overall Height:** 2.110 inches **Overall Width:** Between 0.812 inches and 0.844 inches **Cable Opening Diameter:** Between 0.324 inches and 0.356 inches **Cable Opening Quantity:** 1 **Mounting Facility Type And Quantity:** 4 threaded hole **Thread Size:** 0.112 inches Material: Aluminum alloy **Surface Treatment:** Anodize **Style Designator:** Hood, top opening w/clamp **Surface Treatment:** Anodized **Test Data Document:** 96906-ms24133-r1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unc **Specification Data:** 96906-ms24133-r1 government standard Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5935-00-725-1990

Electrical Connector Backshell - Page 2 of 2



Fiig:

A10100

Mil-std (military Standard):

Mil-c-28748 spec.