NSN 5935-00-725-5758

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-725-5758

Body Style:
Straight shape, external coupling w/strain relief
Overall Length:
1.830 inches
Diameter:
0.560 inches
Overall Diameter:
0.710 inches
Cable Entrance Diameter:
0.260 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
12-7 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
1000.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Snap ring
Connector Cable Strain Relief Method:
Cable clamp
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 2 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:

Astm b-301-59 federal specification 1st material response single mating end single contact grouping

NSN 5935-00-725-5758Electrical Plug Connector - Page 2 of 2



Shell Material:
Aluminum alloy 2024
Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Mil-n-26074, grade 1 military specification single treatment response
Shell Material Specification:
Qq-a-268 federal specification single material response
Insert Material Specification:
Mil-m-19833, type gdi-30f military specification single material response single mating end
Included Contact Quantity:
7 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.007 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.