## NSN 5935-00-726-6938

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-726-6938 **Thread Class:** 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape **Overall Length:** 1.562 inches **Overall Height:** 0.797 inches **Overall Width:** 0.438 inches **Distance Between Mounting Facility Centers:** 1.250 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 15 **Contact Position Arrangement Style:** 20 20-20 single mating end **Polarization Method:** Jackscrew and polarization boss **Connector Locking Method:** Jackscrew-socket and friction Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.112 inches **Insert Material:** Plastic diallyl phthalate single mating end and glass fiber single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification all material responses single mating end or mil-p-19833, ty gdi-30f military specification all material responses single mating end **Thread Series Designator:** Unc and unc and unc Shelf Life: N/a **Unit Of Measure:** 

Fiig: A039b0

No

**Demilitarization:** 

## NSN 5935-00-726-6938

Electrical Receptacle Connector Body - Page 2 of 2



Mil-std (military Standard):

Mil-m-14 spec.