## NSN 5935-00-727-2106

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-727-2106 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.844 inches **Overall Diameter:** 0.312 inches **Environmental Protection:** Salt water resistant **Distance From Mounting Shoulder To Front Face:** 0.442 inches **Mounting Facility Thickness:** Between 0.030 inches and 0.130 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet pin Thready Qty Per Inch (tpi): **Thread Size:** 0.164 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end **Terminal Type:** Solder well single mating end single contact grouping

**Shell Material:**Copper alloy

## NSN 5935-00-727-2106

Electrical Receptacle Connector - Page 2 of 2



Included	Contact	Quantity:
----------	---------	-----------

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Coaxial socket single mating end single contact grouping

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0