NSN 5935-00-729-7308

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-729-7308

Body Style:
Rectangular shape
Overall Length:
2.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.780 inches
Overall Height:
1.204 inches
Overall Width:
1.000 inches
Environmental Protection:
Moisture resistant and salt water resistant
Unthreaded Mounting Hole Diameter:
Between 0.088 inches and 0.098 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.500 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
24c2 single mating end
Contact Removability:
Removable single mating end 1st contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic melamine single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, class 3 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum
Shell Surface Treatment:
Cadmium
Insert Material Specification:

Mil-m-14, type cmg military specification single material response single mating end

NSN 5935-00-729-7308

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 22 single mating end 2nd contact grouping **Included Contact Type:** Round socket single mating end 2nd contact grouping **Precious Material And Location:** Contact surface gold **Precious Material And Weight:** 0.024 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.