NSN 5935-00-729-7320

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-729-7320 **Body Material:** Plastic **Body Style:** Top mount w/metal saddle **Fabrication Method:** Molded **Overall Length:** Between 1.359 inches and 1.391 inches **Tempurature Rating:** 100.0 degrees celsius **Overall Height:** Between 0.406 inches and 0.438 inches **Overall Width:** Between 0.891 inches and 0.922 inches **Mounting Hole Diameter:** Between 0.120 inches and 0.130 inches **Body Mounting Hole Accommodation Diameter:** 0.740 inches **Distance Between Mounting Facility Centers:** Between 1.120 inches and 1.130 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Electron tube **Contact Maximum Current Rating In Amps:** 1.0 **Contact Material:** Copper alloy **Contact Surface Treatment:** Silver **Accommodated Contact Quantity: Polarization Type:** Contact position Saddle Material: **Brass Saddle Surface Treatment:** Nickel **Projection Length Below Mounting Surface:**

Between 0.250 inches and 0.281 inches

Mounting Method:

Saddle

NSN 5935-00-729-7320

Plug-in Electronic Components Socket - Page 2 of 2



Mounting Type For Which Designed:
Chassis
Contact Position Arrangement Style:
Circular
Contact Maximum Voltage In Volts And Current Type:
500.0 ac and 500.0 dc
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.009 silver grains, troy
Precious Material:
Silver
Terminal Type And Quantity:
9 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300