

View Online at https://aerobasegroup.com/nsn/5935-00-729-8606

Body Material:
Plastic
Fabrication Method:
Molded
Overall Height:
1.125 inches
Mounting Hole Diameter:
0.145 inches
Body Mounting Hole Accommodation Diameter:
2.188 inches
Overall Diameter:
2.750 inches
Mounting Hole Style:
Round, w/three mounting holes/slots
Specific Equipment Accommodated:
Electron tube
Contact Material:
Beryllium copper
Contact Surface Treatment:
Silver
Accommodated Contact Quantity:
8
Center To Center Distance Between Outside Mounting Holes Along Length:
0.917 inches
Center To Center Distance Between Outside Mounting Holes Along Width:
Center To Center Distance Between Outside Mounting Holes Along Width:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver Precious Material And Weight:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver Precious Material And Weight:
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy Precious Material: Silver
Center To Center Distance Between Outside Mounting Holes Along Width: 0.917 inches Projection Length Below Mounting Surface: 0.719 inches Mounting Method: Body through hole Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Circular Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy Precious Material:

Plug-in Electronic Components Socket - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300