NSN 5935-00-735-1267

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-735-1267 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, latching **Overall Length:** 0.906 inches **Bushing Diameter:** 0.875 inches **Overall Width:** 1.218 inches Diameter: 1.218 inches **Threaded Device Type:** Back shell **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end all contact groupings **Polarization Method:** Contact **Connector Locking Method:** Snap ring Thread Length: 0.218 inches Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.875 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic melamine single mating end

Terminal Type:

Solder well single mating end all contact groupings

NSN 5935-00-735-1267

Electrical Receptacle Connector - Page 2 of 2



Insert Material Specification:

Mil--014 military specification single material response single mating end

Included Contact Quantity:

5 single mating end 2nd contact grouping

Included Contact Type:

Round socket single mating end 2nd contact grouping

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

spec.