NSN 5935-00-736-3463

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-736-3463

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
2.000 inches
Overall Height:
3.100 inches
Overall Width:
0.440 inches
Distance Between Mounting Facility Centers:
Between 1.683 inches and 1.693 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Removability:
Nonremovable all mating ends all contact groupings
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back all mating ends all contact groupings
Contact Material:
Copper alloy all mating ends all contact groupings
Contact Surface Treatment:
Gold all mating ends all contact groupings
Insert Material:
Plastic diallyl phthalate glass filled single mating end
Terminal Type:
Solder well all mating ends all contact groupings
Insert Material Specification:
Mil-p-19833, type gdi30 military specification single material response single mating end
Unable To Decode:
Unable to decode and unable to decode

NSN 5935-00-736-3463

Electrical Receptacle Connector - Page 2 of 2



ncluded	Contact	Quantity:
---------	---------	-----------

2 1st mating end single contact grouping

Included Contact Type:

Round pin 2nd mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.020 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-p-19833 spec.