NSN 5935-00-752-2824



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-752-2824 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Overall Length:** 2.250 inches **Overall Height:** 1.000 inches **Overall Width:** 1.000 inches **Environmental Protection:** Weatherproof **Unthreaded Mounting Hole Diameter:** 0.125 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.718 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.718 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 1 **Connector Locking Method:** Externally threaded shell **Connector Cable Strain Relief Method:** Conduit nut Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 24 and 24 **Thread Size:** 0.625 inches and 0.688 inches **Insert Material:** Plastic single mating end **Shell Material:** Copper alloy **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:**

Coaxial socket single mating end single contact grouping

Special Features:

4 mtg holes

NSN 5935-00-752-2824

Electrical Receptacle Connector - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0