Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-755-6221

Body Style:
Square flange mount
Overall Length:
1.460 inches
Bushing Diameter:
Between 1.660 inches and 1.702 inches
Mounting Hole Circle Radius:
1.062 inches
Unthreaded Mounting Hole Diameter:
Between 0.140 inches and 0.172 inches
Distance From Mounting Shoulder To Rear Face:
Between 1.410 inches and 1.470 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
15.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
125.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
125.0 single mating end single contact grouping
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Cadmium single mating end single contact grouping
Contact Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, class 2 federal specification single treatment response
Included Contact Quantity:
3 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0