

View Online at <https://aerobasegroup.com/nsn/5935-00-755-9674>

Thread Class:

2b

Thread Direction:

Right-hand

Body Style:

Straight shape

Overall Length:

2.200 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.800 inches

Overall Height:

0.437 inches

Overall Width:

1.031 inches

Threaded Device Type:

Mounting hole

Mating End Quantity:

1

Contact Position Arrangement Style:

11 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

5.0 single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

1765.0 single mating end single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

2870.0 single mating end single contact grouping

Connector Locking Method:

Friction

Features Provided:

Pre-tinned terminal

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Terminal Location:

Side single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Silver single mating end single contact grouping

Insert Material:

Plastic single mating end and mica single mating end

Terminal Type:

Tab, solder lug single mating end single contact grouping

Shell Material:

Plastic

Insert Material Specification:

Mil-m-14, type mfe military specification all material responses single mating end

Included Contact Quantity:

11 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces silver

Precious Material And Weight:

0.011 silver grains, troy

Precious Material:

Silver

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.