Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-758-2783

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length: Between 0.974 inches and 0.994 inches
Overall Height: Between 3.927 inches and 3.947 inches
Overall Width:
Between 3.365 inches and 3.385 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 0.995 inches and 1.005 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 2.870 inches and 2.880 inches
Distance From Mounting Shoulder To Front Face:
0.750 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
Contact Position Arrangement Style:
78 all mating ends
Contact Removability:
Removable all mating ends single contact grouping
Polarization Method:
2 polarization posts
Shell Type:
Solid
Connector Locking Method:
Screw
Thready Qty Per Inch (tpi):
24
Thread Size:
0.3125 inches
Terminal Location:
Back all mating ends single contact grouping
Contact Material:
Copper alloy all mating ends single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping



Insert Material: Plastic diallyl phthalate all mating ends **Terminal Type:** Crimp all mating ends single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium **Included Contact Quantity:** 78 2nd mating end single contact grouping Included Contact Type: Round socket all mating ends single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.156 gold grains, troy and 0.156 silver grains, troy **Precious Material:** Gold and silver **Thread Series Designator:** Unf Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0