Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-760-5018

Thread Clas	SS:
2b	
Thread Dire	ection:
Right-hand	
Body Style:	
-	pe w/cable clamp
Overall Len	gth:
2.159 inches	5
Bushing Di	ameter:
0.437 inches	5
Overall Heig	ght:
1.000 inches	3
Overall Wid	lth:
1.000 inches	5
Environmei	ntal Protection:
Corrosion re	sistant
Unthreaded	Mounting Hole Diameter:
0.112 inches	3
Center To C	Center Distance Between Mounting Facilities Parallel To Height:
0.718 inches	3
Distance Be	etween Centerlines Of Mounting Facilities Parallel To Body Width
0.718 inches	5
Distance Fr	om Mounting Shoulder To Front Face:
0.703 inches	5
Threaded D	evice Type:
Mounting ho	le
Mating End	Quantity:
1	
Contact Po	sition Arrangement Style:
Nonstd sing	le mating end
Contact Re	movability:
Nonremoval	ble single mating end single contact grouping
Shell Type:	
Solid	
Connector	Locking Method:
Spring frictio	n
Connector	Cable Strain Relief Method:
Compressio	n nut
Radio Freq	uency Type Contact Characteristic Impedance In Ohms:
50.0 single r	nating end single contact grouping
Thread Size	
0.112 inches	3



Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Test Data Document:
13499-357-9540-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0