

View Online at <https://aerobasegroup.com/nsn/5935-00-760-6696>

**Body Material:**

Plastic

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Top mount w/studs

**Overall Length:**

1.250 inches

**Overall Height:**

0.594 inches

**Overall Width:**

0.375 inches

**Mounting Hole Diameter:**

0.140 inches

**Body Mounting Hole Accommodation Length:**

0.812 inches

**Body Mounting Hole Accommodation Width:**

0.438 inches

**Mounting Hole Style:**

Rectangular, w/two mounting holes/slots

**Contact Maximum Current Rating In Amps:**

3.0

**Contact Material:**

Phosphor bronze

**Contact Surface Treatment:**

Gold

**Accommodated Contact Quantity:**

8

**Center To Center Distance Between Outside Mounting Holes Along Length:**

1.000 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

0.125 inches

**Polarization Type:**

Off center hole

**Projection Length Below Mounting Surface:**

0.141 inches

**Mounting Method:**

Threaded stud

**Mounting Type For Which Designed:**

Chassis

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

Symmetrical

**Test Data Document:**

56232-752642 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

8 solder well

**Reference Number Differentiating Characteristics:**

As differentiated by navord od41152

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300