Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-763-2527

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
Between 2.500 inches and 2.562 inches
Overall Height:
Between 3.469 inches and 3.531 inches
Overall Width:
Between 3.469 inches and 3.531 inches
Environmental Protection:
Salt water resistant and moisture resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.281 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 2.870 inches and 2.880 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 2.870 inches and 2.880 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
18-28 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
16
Thread Size:
3.250 inches
Terminal Location:
Back single mating end single contact grouping



Contact Material:

Copper alloy single mating end single contact grouping

Insert Material:

Plastic phenolic single mating end

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Copper alloy

Shell Material Specification:

Qq-b-691 federal specification single material response

Included Contact Quantity:

28 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Thread Series Designator:

Un

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0