Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-772-2224

Thread Class:	
2a	
Thread Direction	on:
Right-hand	
Body Style:	
Straight shape,	external coupling
Overall Length	:
Between 1.470	inches and 1.612 inches
Overall Height:	
Between 1.271	inches and 1.291 inches
Overall Width:	
Between 1.271	inches and 1.291 inches
Environmental	Protection:
Moisture resista	nt and salt water resistant
Unthreaded Mo	ounting Hole Diameter:
Between 0.148	inches and 0.154 inches
Center To Cent	ter Distance Between Mounting Facilities Parallel To Height:
Between 0.964	inches and 0.974 inches
Distance Betwe	een Centerlines Of Mounting Facilities Parallel To Body Width:
Between 0.964	inches and 0.974 inches
Distance From	Mounting Shoulder To Front Face:
Between 0.750	inches and 0.766 inches
Threaded Devi	се Туре:
Coupling facility	
Mating End Qu	antity:
1	
Contact Positio	on Arrangement Style:
16-12 single ma	iting end
Contact Remov	/ability:
Nonremovable s	single mating end single contact grouping
Polarization Me	ethod:
Keyway or multi	ple keyway
Insert Position	In Deg:
0.0	
Shell Type:	
Solid	
Connector Loc	king Method:
Externally threa	ded shell
Thread Length	:
0.625 inches	
Thread Size:	
1.000 inches	

NSN 5935-00-772-2224

Electrical Receptacle Connector - Page 2 of 2



Terminal Location: Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Solder well single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification single treatment response **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.005 gold grains, troy and 0.005 silver grains, troy **Precious Material:** Gold and silver **Thread Series Designator:** Unef Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0