NSN 5935-00-780-5391

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-780-5391



Thread Class: 2a **Thread Direction:** Right-hand **Body Style:** Angle shape **Overall Height:** 1.500 inches **Overall Width:** 0.688 inches **Environmental Protection:** Pressure proof **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Bnc single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet pin **Connector Cable Strain Relief Method:** Compression nut Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.500 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:**

Plastic tetrafluoroethylene single mating end

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Copper alloy

NSN 5935-00-780-5391

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Silver
ncluded Contact Quantity:
single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round w/flat
ncluded Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact surface gold and shell surface silver
Precious Material And Weight:
0.005 gold grains, troy and 0.100 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Jnef
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A039b0