## NSN 5935-00-781-3334

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-781-3334

**Body Style:** 

Straight shape w/solder mount

**Overall Length:** 

0.594 inches

**Overall Diameter:** 

0.312 inches

**Environmental Protection:** 

Salt water resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

Nonstd single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Dc Voltage Rating In Volts:** 

500.0 single mating end single contact grouping

**Contact Maximum Frequency Rating:** 

500.0 megahertz single mating end single contact grouping

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Nickel single mating end single contact grouping

**Insert Material:** 

Plastic tetrafluoroethylene single mating end

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Shell Material:** 

Copper alloy

**Shell Surface Treatment:** 

Nickel

**Included Contact Quantity:** 

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

Included Contact Type:

Coaxial pin single mating end single contact grouping

## NSN 5935-00-781-3334

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0