# NSN 5935-00-781-9913

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-781-9913

#### **Body Style:**

Straight shape, internal coupling w/strain relief

#### **Body Length:**

2.219 inches

### **Overall Diameter:**

1.500 inches

#### **Environmental Protection:**

Moisture resistant and salt water resistant and vibration resistant

#### Cable Entrance Diameter:

0.750 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

27 single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Key, multiple key groove

#### **Insert Position In Deg:**

0.0

#### Shell Type:

Hood, top opening

**Connector Locking Method:** 

Ball

## Connector Cable Strain Relief Method:

Cable clamp

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping

## Insert Material:

Rubber natural single mating end

## Terminal Type:

Solder well single mating end single contact grouping

# NSN 5935-00-781-9913

Electrical Plug Connector - Page 2 of 2



#### Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

37 single mating end single contact grouping

## Included Contact Type:

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.037 gold grains, troy

Precious Material:

Gold

#### **Test Data Document:**

81349-mil-c-26482 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-c-26482 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0