# NSN 5935-00-784-3129

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-784-3129

## Overall Length:

2.719 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.281 inches

#### **Overall Height:**

0.844 inches

#### **Overall Width:**

0.875 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.468 inches

Threaded Device Type:

Mounting hole

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

50 single mating end

#### Contact Removability:

Nonremovable single mating end single contact grouping

#### Contact Maximum Current Rating In Amps:

13.0 single mating end single contact grouping

#### Contact Maximum Dc Voltage Rating In Volts:

1200.0 single mating end single contact grouping

#### **Polarization Method:**

Jackscrew

#### **Connector Locking Method:**

Screw lock pin

#### Thread Size:

0.112 inches

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Insert Material:**

Plastic diallyl phthalate single mating end

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### **Insert Material Specification:**

Mil-m-19833, type gdi-30f military specification single material response single mating end

#### **Included Contact Quantity:**

50 single mating end single contact grouping

#### Included Contact Type:

Round pin single mating end single contact grouping

#### **Thread Series Designator:**

Unc

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

### Mil-std (military Standard):

Mil-m-19833 spec.