NSN 5935-00-785-6543

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-785-6543

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, internal coupling w/strain relief
Body Length:
3.500 inches
Overall Diameter:
2.516 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
12 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0 Shall Turner
Shell Type:
Solid
Solid
Connector Locking Method:
Connector Locking Method: Screw
Connector Locking Method: Screw Connector Cable Strain Relief Method:
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi):
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size:
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location:
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Terminal Type:
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Solder well single mating end single contact grouping
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Solder well single mating end single contact grouping Included Contact Quantity:
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Contect Size: Sack single mating end single contact grouping Ferminal Location: Back single mating end single contact grouping Included Contact Quantity: 12 single mating end single contact grouping
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Solder well single mating end single contact grouping Included Contact Quantity: 12 single mating end single contact grouping
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Cerminal Location: Back single mating end single contact grouping Terminal Type: Solder well single mating end single contact grouping Included Contact Quantity: 12 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping
Connector Locking Method: Screw Connector Cable Strain Relief Method: Cable clamp Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Solder well single mating end single contact grouping Included Contact Quantity: 12 single mating end single contact grouping

NSN 5935-00-785-6543

Electrical Plug Connector - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

