NSN 5935-00-791-5649

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-791-5649 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top or bottom mount w/molded saddle and bushing **Overall Length:** 2.218 inches **Overall Height:** 0.542 inches **Overall Width:** 1.531 inches **Mounting Hole Diameter:** 0.196 inches **Body Mounting Hole Accommodation Diameter:** 1.250 inches **Mounting Hole Style:** Round, w/three mounting holes/slots **Contact Maximum Current Rating In Amps:** 5.0 **Contact Material:** Beryllium copper **Contact Surface Treatment:** Gold **Accommodated Contact Quantity:** Center To Center Distance Between Outside Mounting Holes Along Length: 1.844 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 0.750 inches Thread Length: 0.480 inches **Polarization Type:** Contact position **Projection Length Above Mounting Surface:** 0.093 inches **Mounting Method:** Threaded stud

0.093 inches

Mounting Method:

Threaded stud

Mounting Type For Which Designed:

Chassis

NSN 5935-00-791-5649 Plug-in Electronic Components Socket - Page 2 of 2



Thready Qty Per Inch (tpi):
32
Thread Size:
0.190 inches
Contact Position Arrangement Style:
Symmetrical
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.020 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unf
Terminal Type And Quantity:
20 solder well
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300