NSN 5935-00-803-1445

Tip Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-803-1445 **Thread Class:** 2a **Thread Direction:** Right-hand **Electrical Insulation Feature:** Insulated completely **Identification Code Color:** Red **Body Style:** Threaded bushing mounted **Overall Length:** 0.938 inches **Mounting Bushing Length:** 0.469 inches **Body Length:** 0.657 inches **Overall Diameter:** 0.438 inches **Bushing Accommodation Hole Shape:** Round **Maximum Voltage Rating In Volts:** 10000.0 dc **Accommodated Finger Type:** Banana spring single finger **Finger Accommodation Diameter:** 0.175 inches single finger **Finger Accommodation Length:** 0.657 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.328 inches Capacitance In Picofarads: **End Application:** Aircraft, (ac-130h, mc-130h, ec-130e, hc-130); missile, all-weather **Mounting Facility Type And Quantity:** 1 bushing Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.312 inches

Feat

Criticality Code Justification:

NSN 5935-00-803-1445 Tip Jack - Page 2 of 2



Terminal Type:
Tab, solder lug
Special Features:
Weapon system essential
Material:
Plastic, polyamide insulator
Material:
Plastic polyamide insulator
Surface Treatment:
Nickel terminal
Surface Treatment:
Nickel spring
Thread Series Designator
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
V03400