NSN 5935-00-807-7487



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-807-7487 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.375 inches **Overall Diameter:** 0.484 inches **Environmental Protection:** Pressure proof **Cable Entrance Diameter:** Between 0.106 inches and 0.108 inches **Distance From Mounting Shoulder To Front Face:** 0.367 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Connector Cable Strain Relief Method:** Compression nut Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thread Length: 0.367 inches Thready Qty Per Inch (tpi): 32 and 32 **Thread Size:** 0.3125 inches and 0.3125 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

NSN 5935-00-807-7487

No Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment: Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Rhodium **Included Contact Quantity:** 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round w/flat **Included Contact Type:** Coaxial socket single mating end single contact grouping **Special Features:** Max.Leakage-imicron.Cu.Ft./hr. At 1 atmosphere **Precious Material And Location:** Contact surfaces gold and contact surfaces silver and shell surfaces rhodium **Precious Material And Weight:** 0.005 gold grains, troy and 0.005 silver grains, troy and 0.100 rhodium grains, troy **Precious Material:** Gold and silver and rhodium **Thread Series Designator:** Unef and unef Shelf Life: N/a **Unit Of Measure: Demilitarization:**