## NSN 5935-00-812-9751

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-812-9751 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 1.562 inches **Overall Height:** 0.781 inches **Overall Width:** 0.438 inches **Distance Between Mounting Facility Centers:** 1.250 inches **Threaded Device Type:** Mounting stud **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 20 20-20 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Latch **Thread Size:** 0.112 inches Copper alloy single mating end single contact grouping

**Terminal Location:** Back single mating end single contact grouping **Contact Material: Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic melamine mineral filled single mating end **Terminal Type:** Solder well single mating end single contact grouping **Included Contact Quantity:** 20 single mating end single contact grouping

## NSN 5935-00-812-9751

Electrical Receptacle Connector - Page 2 of 2



## Included Contact Type: Round pin single mating end single contact grouping Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.020 gold grains, troy Precious Material: Gold Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: -Demilitarization:

No Fiig: A039b0