Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-813-8687

Body Style:

Straight shape, flush mount

Overall Length:

Between 1.115 inches and 1.135 inches

Overall Height:

Between 1.110 inches and 1.140 inches

Overall Width:

Between 2.302 inches and 2.322 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 0.745 inches and 0.755 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 2.057 inches and 2.067 inches

Distance From Mounting Shoulder To Front Face:

Between 0.334 inches and 0.354 inches

Mating End Quantity:

Contact Position Arrangement Style:

16c3 single mating end

Contact Removability:

Removable single mating end all contact groupings

Contact Maximum Current Rating In Amps:

7.5 single mating end 1st contact grouping

Polarization Method:

Mating end

Shell Type:

Split

1

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Gold single mating end all contact groupings and silver single mating end all contact groupings

Insert Material:

Plastic melamine single mating end

Terminal Type:

Solder well single mating end all contact groupings

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

3 single mating end 2nd contact grouping

NSN 5935-00-813-8687 Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round socket single mating end 1st contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.016 gold grains, troy and 0.016 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0