NSN 5935-00-814-7790

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-814-7790

Body Style: Straight shape, flush mount **Overall Length:** 1.390 inches **Overall Height:** 1.688 inches **Overall Width:** 3.375 inches **Environmental Protection:** Corrosion resistant and humidity resistant **Unthreaded Mounting Hole Diameter:** 0.144 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.000 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.875 inches **Mating End Quantity: Contact Position Arrangement Style:** 20 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 40.0 single mating end 1st contact grouping **Polarization Method:** 1 polarization post Shell Type: Solid **Connector Locking Method:** Spring friction **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Silver single mating end all contact groupings **Insert Material:** Plastic melamine single mating end

Shell Material:

Terminal Type:

Solder well single mating end all contact groupings

Aluminum alloy

NSN 5935-00-814-7790

Mil-std (military Standard):

Mil-m-14 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Mil-m-14, type mme military specification single treatment response
Insert Material Specification:
Mil-m-14, type mme military specification single material response single mating end
Included Contact Quantity:
6 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surface silver
Precious Material And Weight:
0.020 silver grains, troy
Precious Material:
Silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0