## NSN 5935-00-816-0216

**Thread Class:** 

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-816-0216



2a **Thread Direction:** Right-hand **Body Style:** Straight shape Center To Center Distance Between Mounting Facilities Parallel To Length: Between 1.996 inches and 2.044 inches **Overall Height:** 0.813 inches **Overall Width:** 1.000 inches **Unthreaded Mounting Hole Diameter:** 0.140 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 32 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 2.0 single mating end single contact grouping Shell Type: Solid **Thread Size:** 0.138 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium

## NSN 5935-00-816-0216

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:** 32 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.032 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A039b0