NSN 5935-00-818-3337

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-818-3337 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** Between 2.080 inches and 2.120 inches **Overall Height:** 0.794 inches **Overall Width:** 0.400 inches **Environmental Protection:** Heat resistant **Distance Between Mounting Facility Centers:** 1.600 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 11 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 50.0 single mating end single contact grouping **Polarization Method:** Contact Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic melamine single mating end

Terminal Type:

Solder well single mating end single contact grouping

NSN 5935-00-818-3337

Electrical Receptacle Connector - Page 2 of 2



Contact Material Specification:

Qq-b-626 comp 22 half hard federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-m-14, type mme or type sdg military specification single material response single mating end

Included Contact Quantity:

11 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.011 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.