

View Online at <https://aerobasegroup.com/nsn/5935-00-823-0766>

**Body Material:**

Plastic

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Top mount w/studs

**Fabrication Method:**

Molded

**Overall Length:**

1.730 inches

**Overall Height:**

Between 0.550 inches and 0.570 inches

**Overall Width:**

Between 0.510 inches and 0.520 inches

**Mounting Hole Diameter:**

0.138 inches

**Body Mounting Hole Accommodation Length:**

1.080 inches

**Body Mounting Hole Accommodation Width:**

Between 0.510 inches and 0.520 inches

**Distance Between Mounting Facility Centers:**

Between 1.401 inches and 1.415 inches

**Mounting Hole Style:**

Rectangular, w/two mounting holes/slots

**Specific Equipment Accommodated:**

Relay

**Contact Maximum Current Rating In Amps:**

10.0

**Contact Material:**

Copper alloy

**Contact Surface Treatment:**

Gold and nickel

**Accommodated Contact Quantity:**

8

**Projection Length Below Mounting Surface:**

Between 0.263 inches and 0.283 inches

**Mounting Method:**

Threaded stud

**Mounting Type For Which Designed:**

Chassis

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.138 inches

**Contact Position Arrangement Style:**

Dual in line

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.008 gold grains, troy

**Precious Material:**

Gold

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

8 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300