

View Online at https://aerobasegroup.com/nsn/5935-00-824-3786

Thread Class: 2a Thread Direction: Right-hand Body Style: Straight shape Overall Length: 2.312 inches Overall Height: 0.859 inches Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Matting End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material: Plastic diallyl phthalate single mating end Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil m-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Mil m-14, ty sdg-f military specification single material	
Thread Direction: Right-hand Body Style: Straight shape Overall Length: 2.312 inches Overall Height: 0.859 inches Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Matting End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Milm-14, ty sdg-f military specification single material response single mating end Insert Material Specification: Unable to decode and unable to decode Thread Sries Designator: Unable Via Mir: Na Jourd Mating Thiltary specification single material response single mating e	Thread Class:
Right-had Body Style: Straight shape Overall Length: 2.312 inches Overall Height: 0.859 inches Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Concat Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Threaded Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Unc Shelf Life: Ival Via Unit Of Measure: Ival Panelication: Insert Material Material Specification Material Specification Inglab to decod	2a
Body Style: Straight shape Overall Length: 2.312 inches Overall Height: 0.859 inches Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Threaded Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Plastic diallyl phthalate single mating end Insert Material Specification Mil-m-14, ty sdg-f military specification single material response single mating end Insert Material Specification Unc Shelf Life: N/a Unit Of Measure: Init of Measure: Pomilitarization:	
Straight shapeOverall Length:2.312 inchesOverall Height:0.859 inchesOverall Width:0.750 inchesEnvironmental Protection:Vibration resistantDistance Between Mounting Facility Centers:2.000 inchesThreaded Device Type:Mounting studMating End Quantity:12Single mating endPolarization Method:Guide pin/socketThready Qty Per Inch (tpi):40Thread Size:0.112 inchesInsert Material:Plastic dially! phthalate single mating endInsert Material:Insert Material SpecificationMill-m-14, ty sdg-f military specification single material response single mating endInsert Material Specification:Unable to decode and unable to decodeThread Stries Designator:UncShelf Life:N/aHuit Of Measure:Panelitarization:	-
Overall Length:2.312 inchesOverall Height:0.859 inchesOverall Width:0.750 inchesEnvironmental Protection:Vibration resistantDistance Between Mounting Facility Centers:2.000 inchesThreaded Device Type:Mounting studMating End Quantity:12Contact Position Arrangement Style:42 single mating endPolarization Method:Guide pin/socketThready Qty Per Inch (tpi):40Thread Size:0.112 inchesInsert Material:Plastic diallyl phthalate single mating endInsert Material:Plastic diallyl phthalate single mating endInsert Material:Viable To Decode:Unable to decode and unable to decodeThread Size:UncShelf Life:Iv/aUnit of Measure:Iv/aDister Itie:Iv/aIvia Of Measure:Ivia Of Measure: <td< td=""><td>Body Style:</td></td<>	Body Style:
2.312 inches Overall Height: 0.859 inches Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: 0.000 inches Threaded Device Type: Nounting stud Mating End Quantiy: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: 6 uide pin/socket Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Plastic diallyl phthalate single mating end Insert Material Plastic diallyl phthalate single mating end Insert Material Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Inable to decode and unable to decode Thread Series Designator: Unc Sheff Life: N/a Unit Of Measure:	Straight shape
Overall Height:0.859 inchesOverall Width:0.750 inchesEnvironmental Protection:Vibration resistantDistance Between Mounting Facility Centers:2.000 inchesThreaded Device Type:Mounting studMating End Quantity:1Contact Position Arrangement Style:42 single mating endPolarization Method:Guide pin/socketThread Size:0.112 inchesInsert Material:Plastic diallyl phthalate single mating endInsert MaterialMaterial Specification:Milm-14, ty sdg-f military specification single material response single mating endInable to decode and unable to decodeThread Size:Unable to Idecode and unable to decodeInsert Material:Vinal CondexUnable to Idecode and unable to decodeThread Size:UncShelf Life:N/aUnit Of Measure:material Specification:Material Specification:Diread Size:Diread Series Designator:UncShelf Life:N/aUnit Of Measure:Thread Series Designator:Unit Of Measure:Theore Series Designator:Diread Series Designator: <t< td=""><td>Overall Length:</td></t<>	Overall Length:
0.859 inches 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Duble to decode and unable to decode Thread Series Designator: Unc Shrie Life: N/a Dirt of Measure: Init of Measure: Dirt of Measure: Init of Measure:	2.312 inches
Overall Width: 0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Sheft Life: N/a Unit Of Measure: Demilitarization:	Overall Height:
0.750 inches Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification Mil-m-14, ty sdg-f military specification single material response single mating end Unable to decode and unable to decode Thread Series Designator: Unc Sheff Life: N/a Unit Of Measure: Demilitarization:	0.859 inches
Environmental Protection: Vibration resistant Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Overall Width:
Vibration resistantDistance Between Mounting Facility Centers:2.000 inchesThreaded Device Type:Mounting studMating End Quantity:1Contact Position Arrangement Style:42 single mating endPolarization Method:Guide pin/socketThready Qty Per Inch (tpi):40Thread Size:0.112 inchesInsert Material:Plastic diallyl phthalate single mating endInsert Material:Mil-m-14, ty sdg-f military specification single material response single mating endInable to decode and unable to decodeThread Series Designator:UncShelf Life:N/aIncFacil for Measure:Demilitarization:	0.750 inches
Distance Between Mounting Facility Centers: 2.000 inches Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Environmental Protection:
2.000 inches Fhreaded Device Type: Mounting stud Mating End Quantity: I Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Fhready Qty Per Inch (tpi): 40 Fhread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Inable to decode and unable to decode Fhread Series Designator: Unc Shelf Life: N/a Int of Measure: Demiltarization:	Vibration resistant
Threaded Device Type: Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	Distance Between Mounting Facility Centers:
Mounting stud Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	2.000 inches
Mating End Quantity: 1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Threaded Device Type:
1 Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure:	Mounting stud
Contact Position Arrangement Style: 42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Inc Shelf Life: N/a Unit Of Measure: Demilitarization:	Mating End Quantity:
42 single mating end Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	1
Polarization Method: Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Contact Position Arrangement Style:
Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	42 single mating end
Thready Qty Per Inch (tpi):40Thread Size:0.112 inchesInsert Material:Plastic diallyl phthalate single mating endInsert Material Specification:Mil-m-14, ty sdg-f military specification single material response single mating endUnable To Decode:Unable to decode and unable to decodeThread Series Designator:UncSheff Life:N/aUnit Of Measure:Demilitarization:	Polarization Method:
40 Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	Guide pin/socket
Thread Size: 0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	Thready Qty Per Inch (tpi):
0.112 inches Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	40
Insert Material: Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: 	Thread Size:
Plastic diallyl phthalate single mating end Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	0.112 inches
Insert Material Specification: Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Insert Material:
Mil-m-14, ty sdg-f military specification single material response single mating end Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Plastic diallyl phthalate single mating end
Unable To Decode: Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Insert Material Specification:
Unable to decode and unable to decode Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Mil-m-14, ty sdg-f military specification single material response single mating end
Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Unable To Decode:
Unc Shelf Life: N/a Unit Of Measure: Demilitarization:	Unable to decode and unable to decode
Shelf Life: N/a Unit Of Measure: Demilitarization:	Thread Series Designator:
N/a Unit Of Measure: Demilitarization:	Unc
Unit Of Measure: Demilitarization:	Shelf Life:
 Demilitarization:	N/a
	Unit Of Measure:
No	Demilitarization:
	No

Electrical Receptacle Connector Body - Page 2 of 2



Fiig: A039b0

Mil-std (military Standard):

Mil-m-14 spec.