NSN 5935-00-824-7683

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-824-7683 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape threaded **Overall Length:** 1.500 inches **Overall Diameter:** 2.312 inches **Distance From Mounting Shoulder To Front Face:** 1.219 inches **Mounting Facility Thickness:** Between 0.031 inches and 0.250 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 18 and 18 **Thread Size:** 2.000 inches and 2.000 inches **Terminal Location:** Back single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:** Qq-p-416, type 2, class 2 federal specification single treatment response

Included Contact Quantity:

13 single mating end single contact grouping

NSN 5935-00-824-7683

Electrical Receptacle Connector - Page 2 of 2



Bushing Accommodation Hole Shape: Round w/double flat Included Contact Type: Round pin single mating end single contact grouping Thread Series Designator: Uns and uns Shelf Life: N/a Unit Of Measure: -Demilitarization: No

Fiig: A039b0