NSN 5935-00-826-8904

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-826-8904 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Thru-hole mount w/lockin **Overall Length:** 0.656 inches **Bushing Diameter:** 0.375 inches **Overall Diameter:** 0.463 inches **Environmental Protection:** Salt water resistant **Distance From Mounting Shoulder To Rear Face:** 0.562 inches **Mounting Facility Thickness:** 0.031 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 40330 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Contact Shell Type: Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.375 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

NSN 5935-00-826-8904

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Plastic
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round keyed
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surface gold
Precious Material And Weight:
0.001 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0