Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-828-3866

# **Body Style:** Straight shape, external coupling **Overall Length:** 1.250 inches **Overall Height:** Between 0.796 inches and 0.828 inches **Overall Width:** Between 0.796 inches and 0.828 inches **Environmental Protection:** Moisture proof **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.125 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.594 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.594 inches **Distance From Mounting Shoulder To Front Face:** Between 0.431 inches and 0.441 inches Mating End Quantity: 1 **Contact Position Arrangement Style:** 40394 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping **Contact Material:**

Copper alloy single mating end single contact grouping



### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

### Insert Material:

Rubber single mating end

### Terminal Type:

Crimp single mating end single contact grouping

### Shell Material:

Aluminum alloy

### Shell Surface Treatment:

Cadmium and chromate

# Included Contact Quantity:

4 single mating end single contact grouping

# Bushing Accommodation Hole Shape:

Round

#### Included Contact Type:

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.004 gold grains, troy and 0.004 silver grains, troy

#### **Precious Material:**

Gold and silver

# Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A039b0