## NSN 5935-00-832-6940

**Thread Class:** 

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-832-6940

2b and 2a and 2a
Thread Direction:
Right-hand and right-hand and right-hand
Body Style:
Straight shape
Overall Length:
Between 2.713 inches and 2.723 inches
Overall Height:
Between 0.834 inches and 0.866 inches
Overall Width:
Between 1.229 inches and 1.239 inches
Unthreaded Mounting Hole Diameter:
Between 0.116 inches and 0.120 inches
Distance Between Mounting Facility Centers:
Between 2.277 inches and 2.285 inches
Threaded Device Type:
Coupling facility and back shell
Mating End Quantity:
15
Contact Position Arrangement Style:
75 single mating end
Polarization Method:
Jackscrew and polarization boss
Connector Locking Method:
Jackscrew-socket and friction
Thready Qty Per Inch (tpi):
40 and 40 and 32
Thread Size:
0.112 inches and 0.112 inches and 0.138 inches
Insert Material:
Plastic diallyl phthalate single mating end and silicon single mating end
Insert Material Specification:
Mil-p-19833, type gdi-30f military specification single material response single mating end or mil-m-14, ty sdg-f military specification single
material response single mating end
Thread Series Designator:
Unc and unc and unc
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5935-00-832-6940

Electrical Receptacle Connector Body - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-p-19833 spec.