NSN 5935-00-833-0073

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-833-0073 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 2.312 inches **Overall Height:** 0.859 inches **Overall Width:** 0.750 inches **Distance Between Mounting Facility Centers:** 2.000 inches **Threaded Device Type:** Mounting stud **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 42 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 3200.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 4450.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket Thread Length: 0.266 inches **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic melamine mineral filled single mating end

NSN 5935-00-833-0073

Electrical Receptacle Connector - Page 2 of 2



Terminal Type: Solder well single mating end single contact grouping **Included Contact Quantity:** 42 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.042 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig: A039b0