NSN 5935-00-833-6320

Telephone Jack - Page 1 of 2

Thread Class:

View Online at https://aerobasegroup.com/nsn/5935-00-833-6320



2a **Thread Direction: Right-hand Electrical Insulation Feature:** Insulated completely **Body Style:** Right angle threaded bushing mounted short frame **Overall Length:** 1.687 inches **Overall Height:** 1.750 inches **Overall Width:** 0.750 inches Mounting Bushing Length: 0.375 inches **Bushing Accommodation Hole Shape:** Round Accommodated Finger Type: Two conductor, round tip single finger Finger Accommodation Diameter: 0.252 inches single finger **Finger Accommodation Length:** 1.015 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.375 inches Jack Contact Arrangement Designator: J2 Mounting Facility Type And Quantity: 1 bushing Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.375 inches **Terminal Type:** Tab, solder lug Material: Any acceptable spring Surface Treatment: Tin terminal **Surface Treatment:** Any acceptable contact

NSN 5935-00-833-6320

Telephone Jack - Page 2 of 2



Test Data Document:

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unef **Shelf Life:** N/a **Unit Of Measure:** --**Demilitarization:**

No

Fiig:

A03400