Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-837-6295

# **Body Style:**

Straight shape, flush mount

### **Overall Length:**

Between 1.089 inches and 1.129 inches

# **Overall Height:**

Between 1.672 inches and 1.703 inches

### **Overall Width:**

Between 3.359 inches and 3.391 inches

### Center To Center Distance Between Mounting Facilities Parallel To Height:

### Between 0.995 inches and 1.005 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 2.870 inches and 2.880 inches

### Distance From Mounting Shoulder To Front Face:

0.062 inches

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

G20 single mating end

# **Contact Removability:**

Nonremovable single mating end all contact groupings

# **Contact Maximum Current Rating In Amps:**

40.0 single mating end 3rd contact grouping

### **Polarization Method:**

Contact

### Shell Type:

Solid

**Terminal Location:** 

Back single mating end all contact groupings

# **Contact Material:**

Copper alloy single mating end all contact groupings

### **Contact Surface Treatment:**

Silver single mating end all contact groupings

### **Insert Material:**

Plastic melamine single mating end

### **Terminal Type:**

Solder well single mating end all contact groupings

# Shell Surface Treatment:

Cadmium

# Shell Surface Treatment Specification:

Qq-p-416, type 2, class 1 federal specification single treatment response

### **Included Contact Quantity:**

8 single mating end 3rd contact grouping



Included Contact Type:

Round pin single mating end all contact groupings

Precious Material And Location:

Contact surfaces silver

**Precious Material And Weight:** 

0.020 silver grains, troy

Precious Material:

Silver

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0