# NSN 5935-00-838-3836

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-838-3836

#### **Body Style:**

Straight shape, external coupling strain relief

#### **Overall Height:**

1.453 inches

# **Overall Width:**

1.453 inches

#### Body Length:

2.824 inches

#### **Environmental Protection:**

Moisture resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

#### 0.120 inches

## Center To Center Distance Between Mounting Facilities Parallel To Height:

1.156 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.156 inches

#### Cable Entrance Diameter:

0.625 inches

## Distance From Mounting Shoulder To Front Face:

Between 0.556 inches and 0.587 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

20-41 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### Contact Maximum Ac Voltage Rating In Volts:

600.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

234.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet pin

# Connector Cable Strain Relief Method:

Cable clamp

# **Terminal Location:**

Back single mating end single contact grouping

# **Terminal Type:**

Crimp single mating end single contact grouping



#### Shell Material:

Aluminum alloy

#### Shell Surface Treatment:

Cadmium

# Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

#### Included Contact Quantity:

41 single mating end single contact grouping

#### Included Contact Type:

Round socket single mating end single contact grouping

#### **Test Data Document:**

81349-mil-c-26482 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-c-26482 government specification

Shelf Life:

N/a

---

#### Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0