NSN 5935-00-840-7084

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-840-7084

Body Style: Straight shape, external coupling **Overall Length:** 1.250 inches **Overall Height:** 0.750 inches **Overall Width:** 0.750 inches **Unthreaded Mounting Hole Diameter:** 0.136 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.528 inches and 0.534 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:** Between 0.528 inches and 0.534 inches **Distance From Mounting Shoulder To Front Face:** 0.807 inches **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 500.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet latch Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic tetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Silver

Included Contact Quantity:

1 single mating end single contact grouping

NSN 5935-00-840-7084

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Shell surface silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0