## NSN 5935-00-840-7501

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-840-7501 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, rectangular **Overall Length:** 5.100 inches **Overall Height:** 1.090 inches **Overall Width:** 2.275 inches **Environmental Protection:** Humidity resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.149 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 0.550 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.900 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 52 single mating end **Polarization Method:** Polarization boss Shell Type: Solid **Connector Locking Method:** Jackscrew Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Insert Material:** Plastic diallyl phthalate glass filled single mating end

**Shell Surface Treatment: Passivate** 

**Shell Material:** Steel comp 303

## NSN 5935-00-840-7501

Electrical Receptacle Connector Body - Page 2 of 2



| Shell | Surface | Treatment 9     | Specification: |
|-------|---------|-----------------|----------------|
| OHEH  | Juliace | i i cauliciii v | Juccilloanoii. |

Mil-f-14072 military specification single treatment response

**Shell Material Specification:** 

Astm a582 assn standard single material response

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-f-14072 spec.