NSN 5935-00-841-7221

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-841-7221
Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, flush mount
Overall Length:
1.265 inches
Overall Height:
3.375 inches
Overall Width:
1.688 inches
Environmental Protection:
Moisture resistant and shock resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.152 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.500 inches
Distance From Mounting Shoulder To Front Face:
0.750 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
90 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
1 polarization post
Shell Type:
Solid
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:

Back single mating end single contact grouping

NSN 5935-00-841-7221

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
90 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.090 gold grains, troy
Precious Material:
Gold
Gold Thread Series Designator:
Thread Series Designator:
Thread Series Designator: Unc
Thread Series Designator: Unc Shelf Life:
Thread Series Designator: Unc Shelf Life: N/a
Thread Series Designator: Unc Shelf Life: N/a
Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure:
Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: Demilitarization: